

Figure 1

Secondary Binding Event




Figure 2

09760716.006103
T.01260.01/200600

09960715-092101




Figure 3




Figure 4A

09960746-09404
T01260" 9T 209660




Figure 4B

D	C	B	A	
1	1:5	2	2:5	1
3	3:5	4	4:5	2
5	5:5	6	6:5	3
7d	7n	8d	8n	4
9	9:5	10d	10n	5
11	11:5	12	12:5	6
13	13:5	14d	14n	7
15d	15n	16	16:5	8
17d	17n	18d	18n	9
19d	19n	20d	20n	10
21	21:5	22	22:5	11
23d	23n	24	24:5	12

Figure 5





Figure 6A

0950716-0934
T01260-9T/09660



Slide #2
Cy3/Cy5 ratio 2.32

Figure 6B

101.260 - 91.209650





Figure 6C



Non filtered Cy3-Ag mix



Filtered Cy3 Ag-Mix

Contribution of filtration of Cy3 labeled Ag mixture on background and signal intensity

Figure 6D

Detected vs Loaded Cy3/Cy5 ratio





Figure 7

09960716-099101


3D-Link slide

DVS slide

Figure 8




Costar NH2-glass




Clontech NH2-glass


Figure 9



1 h DVS




2 h DVS



3 h DVS

Figure 10







Figure 12

Figure 13



096016-09101





Figure 14A



Cy3

Cy5

Prelabeled antigen mixes

Figure 14B

Figure
15A







Figure 15B







1a



1b



2a



2b

Figure 16

Figure
17A




Figure 17B

107250-910960




Figure 18




Figure 18